EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	42	(US-20070174765-$ or US-20040143430-$ or US-20070136334-$ or US-20050177784-$ or US-20020129061-$ or US-20050021859-$ or US-20040194028-$ or US-20080228789-$ or US-20050160065-$ or US-20060064631-$ or US-20020198720-$ or US-20040199870-$ or US-20050097452-$ or US-20070022373-$ or US-20050149538-$ or US-20050108630-$ or US-20010054049-$ or US-20040218451-$ or US-20020106620-$ or US-20040010754-$ or US-20050108642-$ or US-20050210030-$ or US-20090017432-$).did. or (US-6167409-$ or US-6725424-$ or US-6535896-$ or US-6430624-$ or US-5708806-$ or US-5687364-$ or US-5608548-$ or US-5557722-$ or US-7272789-$ or US-6925595-$ or US-7032030-$ or US-7266767-$ or US-4994966-$ or US-5715468-$ or US-6912529-$ or US-7187465-$ or US-7085999-$ or US-7065483-$).did. or (WO-2005050395-$).did.	US-PGPUB; USPAT; DERWENT	NEAR	ON	2009/01/22 14:38
L5	1	L4 and (instruct$5 same proctor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 14:38
L6	2	L4 and (instruct$5 and proctor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 14:38
L7	2	L4 and (proctor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 14:39

L8	5	L4 and (instruct$5 and (proctor or admin$8))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 14:39
L9	15	L4 and (instruct$5 and (test))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 14:40
L10	4	L4 and (instruct$5 same (test))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 14:40
L11	7	L4 and ((instruct$5 or direct $6) same (test or proctor or admin$9))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 14:53
L12	9	L4 and ((third party) or third $1party)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 15:18
L13	4	L4 and ((modif%6 or change) with (window or GUI or toolbar or (tool bar) or tool $1bar or (graphic$3 near2 interface)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 15:22
L14	5	L4 and ((modif%6 or change) same (window or GUI or toolbar or (tool bar) or tool $1bar or (graphic$3 near2 interface)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 15:23
L15	5	L4 and ((modif%6 or change or incoporate) same (window or GUI or toolbar or (tool bar) or tool$1bar or (graphic$3 near2 interface)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 16:51
L16	5	L4 and ((modif%6 or change or incoporat$4) same (window or GUI or toolbar or (tool bar) or tool$1bar or (graphic$3 near2 interface)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 16:51
L17	5	L4 and (toolbar or (tool bar) or tool$1bar)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/22 16:52
S1	41	"6167409"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 13:57

S2	2	"6167409".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 13:57
S3	1	10/579644	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:45
S4	2	"6725424".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:48
S5	2	"6535896".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:49
S6	2	"6430624".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:50
S7	95	"6430624"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:50
S8	76	"6535896"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:51
S9	15	"6725424"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:51
S10	355	715/249.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:55
S11	281	S10 and (@pd<"20031118" or @ad<"20031118" or @prad<"20031118" or @rlad<"20031118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 14:56
S12	4364	715/234.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 15:30

S13	310	715/200.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 16:12
S14	1	10/686127	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 19:23
S15	1	10/579377	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/30 19:27
S16	50	(US-20020099947-$ or US-20070174765-$ or US-20020129061-$ or US-20030083906-$ or US-20050091343-$ or US-20050177784-$ or US-20060017948-$ or US-20060023945-$).did. or (US-6332150-$ or US-4270928-$ or US-3570755-$ or US-3622698-$ or US-3777119-$ or US-6360236-$ or US-3872239-$ or US-RE30008-$ or US-4740818-$ or US-4823306-$ or US-4980719-$ or US-5134669-$ or US-5179649-$ or US-5228121-$ or US-5243446-$ or US-5285526-$ or US-5325444-$ or US-5369508-$ or US-5387981-$ or US-5432620-$ or US-5438508-$ or US-5457792-$ or US-5459827-$ or US-5467447-$ or US-5483629-$).did. or (US-5502576-$ or US-5519608-$ or US-5524201-$ or US-5557722-$ or US-5579467-$ or US-5608548-$ or US-5625782-$ or US-5659766-$ or US-5664208-$ or US-5673316-$ or US-5687364-$ or US-5692073-$ or US-5701342-$ or US-5701469-$ or US-5708806-$ or US-5717945-$).did.	US-PGPUB; USPAT	NEAR	ON	2008/12/30 19:30
S17	67621	xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 16:59

S18	142	sip adj2 puff	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:00
S19	14902	(hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or challeng$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:03
S20	11	S18 and S19	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:04
S21	36	715/729.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:12
S22	103	382/114.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:12
S23	2	(Microsoft Word) and (Adobe Acrobat) and (Quark Express) and (Word Perfect) and (Adobe PageMaker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:26
S24	2700	(convert$4 or conversion) near XML	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:45
S25	0	(convert$4 or conversion) near to near XML	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:45
S26	597	dom (XML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:59
S27	2065	dom with (XML)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 17:59
S28	7811	(dom or (document object model))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:07

S29	68884	(xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:10
S30	2802	(convert$4 or conversion) near(xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:10
S31	587	(convert$4 or conversion) with (any) with (xml or ((extensible or extendable) (markup or mark$1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:12
S35	532	(convert$4 or conversion) with (multiple or plurality or any) with (document or file or format) with (xml or ((extensible or extendable) (markup or mark$1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:19
S36	378	(convert$4 or conversion) with (any) with (document or file or format) with (xml or ((extensible or extendable) (markup or mark$1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:19
S37	4	(Word) and (Acrobat) and (Express) and (Word Perfect) and (PageMaker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:21
S38	17	(Word) and (Acrobat) and (Express) and (PageMaker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:24
S40	2	S38 and S30	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/31 18:25
S41	1295	(word or (word processsor) or wordperfect or (word perfect) or word$1perfect) and (Acrobat or pdf or (portable document format)) and (express or quark or qxd) and (pagemaker or (page maker) or page$1maker or adobe)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:27

S42	2806	(convert$4 or conversion) near (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:28
S43	10	S41 and S42	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:28
S44	4870	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:28
S45	32	S41 and S44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:28
S46	14922	(hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or challeng$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:30
S47	7846	(dom or (document object model))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:30
S48	69162	(xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:30
S49	53	S46 and S48 and S47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:30
S50	0	S46 and S48 and S47 and S41	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:30
S51	5	S46 and S44 and S47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:30
S52	29	S49 and (@pd<"20031118" or @ad<"20031118" or @prad<"20031118" or @rlad<"20031118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:31

S53	27	S45 and (@pd< "20031118" or @ad< "20031118" or @prad< "20031118" or @rlad< "20031118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:33
S54	0	("2008/0228789").URPN.	USPAT	NEAR	ON	2009/01/03 12:34
S55	134118	(convert$4 or conversion) near4 (document or file or format)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:56
S56	241	S41 and S48 and S55	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:57
S57	2	S41 and S48 and S55 and S46	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:57
S58	67	S41 and S48 and S55 and S47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 12:59
S59	14961	(hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or challeng$4 or imperfect)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:01
S60	101	(convert$4 or conversion) with (word or (word processsor) or wordperfect or (word perfect) or word $1perfect) and (Acrobat or pdf or (portable document format)) and (express or quark or qxd) and (pagemaker or (page maker) or page$1maker or adobe)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	NEAR	ON	2009/01/03 13:08
S61	1156	(convert$4 or conversion) and (word or (word processsor) or wordperfect or (word perfect) or word $1perfect) and (Acrobat or pdf or (portable document format)) and (express or quark or qxd) and (pagemaker or (page maker) or page$1maker or adobe)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:08

S62	849	(convert$4 or conversion) and (word or (word processsor) or wordperfect or (word perfect) or word $1perfect) and (Acrobat or pdf or (portable document format)) and (express or quark or qxd) and (pagemaker or (page maker) or page$1maker or adobe) and S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:09
S63	6	(convert$4 or conversion) and (word or (word processsor) or wordperfect or (word perfect) or word $1perfect) and (Acrobat or pdf or (portable document format)) and (express or quark or qxd) and (pagemaker or (page maker) or page$1maker or adobe) and S48 and S46	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:09
S64	50562	(hear$4 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or challeng$4 or imperfect) or (special need)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:17
S65	50562	((hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or challeng$4 or imperfect)) or (special need)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:17
S66	51345	(standard$6 test$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:19
S67	23321	((hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or imperfect)) or (special need) and (test$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:19
S68	1626	(((hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or imperfect)) or (special need)) same (test$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:20
S69	3	S68 and S44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:21

S70	2	S68 and S47 and S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:36
S71	100	S67 and S47 and S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:37
S72	42	S67 and S44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:38
S73	7	S67 and S44 and S47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 13:38
S77	32	S72 and (@pd< "20031118" or @ad< "20031118" or @prad< "20031118" or @rlad< "20031118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 14:11
S78	1	High tactility glove system	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 16:20
S79	257	determin$4 with ((subject or noun) and (predicate or verb) and object)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 17:08
S80	5	S67 and S79	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 17:09
S81	12942	(((hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or challeng$4 or imperfect)) or (special need)) and (test$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 17:12
S82	6	S65 and S79	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 17:12
S83	92	(parse or parsing) same (paragraph and (sentence or phrase) and word and (letter or character))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 17:33

S84	8	S79 and S83	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/03 17:33
S85	58	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) same (express or quark or qxd)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 10:42
S86	1	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) same (pagemaker or (page maker) or page $1maker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 10:43
S87	2	(convert$4 or conversion) with (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) same (pagemaker or (page maker) or page $1maker)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 10:43
S88	18	(convert$4 or conversion) with (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) same (pagemaker or (page maker) or page $1maker or pm? or p65)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 10:48
S89	7	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) same (wordperfect or (word perfect) or word$1perfect)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 10:50
S90	18	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) with (express or quark or qxd)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 10:55
S91	5	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) with (express or quark or qxd) with (document or file)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 10:55

S92	0	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) !anguage)) with (xpress or quark or qxd)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 11:02
S93	5	(convert$4 or conversion) with (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) !anguage)) with (xpress or quark or qxd)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 11:02
S94	19	(convert$4 or conversion) with (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) same (xpress or quark or qxd)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 11:05
S95	7846	(dom or (document object model))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:27
S96	4870	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:27
S97	760	S96 and S95	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:27
S98	257	determin$4 with ((subject or noun) and (predicate or verb) and object)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:29
S99	92	(parse or parsing) same (paragraph and (sentence or phrase) and word and (letter or character))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:29
S101	3	S97 and (S98 or S99)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:29
S102	2	("2005/0108630").URPN.	USPAT	NEAR	ON	2009/01/05 14:30
S103	573	(determin$4 or extract$4) with ((subject or noun) and (predicate or verb) and (object or clause))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:33

S104	1	S97 and S103	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:33
S105	1266	(determin$4 or extract$4) same ((subject or noun) and (predicate or verb) and (object or clause))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:34
S106	7632	(convert$4 or conversion) with (xml or ((extensible or extendable) (markup or mark $1up or (mark up) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:34
S107	10	S95 and S105 and S106	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:34
S108	3185	(determin$4 or extract$4) same ((part speech) or (sentence part) or ((subject or noun) and (predicate or verb) and (object or clause)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:55
S109	99	S95 and S108	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:56
S110	10	S95 and S108 and S106	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:56
S111	1040	S95 and S106	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:56
S112	50562	((hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or challeng$4 or imperfect)) or (special need)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:58
S113	4	S95 and S108 and S112	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:58

S114	3580	(determin$4 or extract$4 or pars$4) same ((part speech) or (sentence part) or ((subject or noun) and (predicate or verb) and (object or clause)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 14:58
S115	10106	(determin$4 or extract$4 or pars$4) same ((sentence or speech) near2 (part or data) or ((subject or noun) and (predicate or verb) and (object or clause)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 15:01
S116	8	S95 and S115 and S112	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/05 15:02
S119	962	braille (display or (key $1board or (key board)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 12:36
S120	142	(sip adj2 puff) or (sip-and-puff)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 12:37
S121	142	(sip adj2 puff) or (sip-and-puff) or (sip$5puff)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 12:37
S122	7	S119 and S120	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 12:37
S124	184	braille ((keyboard or key $1board or (key board)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 12:40
S127	247	braille (keyboard or key $1board or (key board) or board)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 12:41
S128	2	S127 and S120	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 12:42

S129	255	(braille (keyboard or key $1board or (key board) or board)) or eBRL	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 14:58
S130	142	(sip adj2 puff) or (sip-and-puff)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 14:59
S131	3	S129 and S130	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 14:59
S132	1029	(braille (display or keyboard or key$1board or (key board) or board)) or eBRL	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 15:00
S133	7	S130 and S132	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/06 15:01
S134	22	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) with (SGML or (Standard Generalized (Markup or mark$1up or (mark up)) Language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/07 09:53
S135	4884	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 17:08
S136	7871	(dom or (document object model))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 17:08
S137	134350	(convert$4 or conversion) near4 (document or file or format)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 17:08
S138	596	S137 and S135 and S136	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 17:08

S139	1157	(convert$4 or conversion) and (word or (word processsor) or wordperfect or (word perfect) or word $1perfect) and (Acrobat or pdf or (portable document format)) and (express or quark or qxd) and (pagemaker or (page maker) or page$1maker or adobe)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 17:09
S140	6	S137 and S135 and S136 and S139	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 17:09
S141	84	Queler	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 18:13
S142	5	S137 and S135 and S136 and queler	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 18:14
S143	40	(US-20070174765-$ or US-20040143430-$ or US-20070136334-$ or US-20050177784-$ or US-20020129061-$ or US-20050021859-$ or US-20040194028-$ or US-20080228789-$ or US-20050160065-$ or US-20060064631-$ or US-20020198720-$ or US-20040199870-$ or US-20050097452-$ or US-20070022373-$ or US-20050149538-$ or US-20050108630-$ or US-20010054049-$ or US-20040218451-$ or US-20020106620-$ or US-20040010754-$ or US-20050108642-$).did. or (US-6167409-$ or US-6725424-$ or US-6535896-$ or US-6430624-$ or US-5708806-$ or US-5687364-$ or US-5608548-$ or US-5557722-$ or US-7272789-$ or US-6925595-$ or US-7032030-$ or US-7266767-$ or US-4994966-$ or US-5715468-$ or US-6912529-$ or US-7187465-$ or US-7085999-$	US-PGPUB; USPAT; DERWENT	NEAR	ON	2009/01/08 18:19

		or US-7065483-$).did. or (WO-2005050395-$).did.				
S144	2	S143 and queler	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/08 18:19
S145	111	(convert$4 or conversion) near3 (xml or ((extensible or extendable) (markup or mark $1up or (mark up)) language)) with (pdf or (portable document format))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/12 17:30
S146	3	altova.as. and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 09:18
S147	4766	sgml and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 09:19
S148	4066	sgml with xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 09:19
S149	40	(US-20070174765-$ or US-20040143430-$ or US-20070136334-$ or US-20050177784-$ or US-20020129061-$ or US-20050021859-$ or US-20040194028-$ or US-20080228789-$ or US-20050160065-$ or US-20060064631-$ or US-20020198720-$ or US-20040199870-$ or US-20050097452-$ or US-20070022373-$ or US-20050149538-$ or US-20050108630-$ or US-20010054049-$ or US-20040218451-$ or US-20020106620-$ or US-20040010754-$ or US-20050108642-$).did. or (US-6167409-$ or US-6725424-$ or US-6535896-$ or US-6430624-$ or US-5708806-$ or US-5687364-$ or US-5608548-$ or US-5557722-$ or US-7272789-$ or US-6925595-$ or US-7032030-$ or US-7266767-$ or US-	US-PGPUB; USPAT; DERWENT	NEAR	ON	2009/01/16 09:20

		4994966-$ or US-5715468-$ or US-6912529-$ or US-7187465-$ or US-7085999-$ or US-7065483-$).did. or (WO-2005050395-$).did.				
S150	11	S148 and S149	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 09:20
S151	2	S149 and (standard$5 near3 test)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 09:41
S152	0	715/729.ccls. and avatar	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 09:49
S153	50698	((hear$3 or visual$4 or eyesight or eye$1sight or (eye sight)) near (impair$4 or challeng$4 or imperfect)) or (special need)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 10:13
S154	1031	(braille (display or keyboard or key$1board or (key board) or board)) or eBRL	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 10:13
S155	302	S153 and S154	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 10:13
S156	5	S153 and S154 and avatar	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/16 10:14
S157	42	(US-20070174765-$ or US-20040143430-$ or US-20070136334-$ or US-20050177784-$ or US-20020129061-$ or US-20050021859-$ or US-20040194028-$ or US-20080228789-$ or US-20050160065-$ or US-20060064631-$ or US-20020198720-$ or US-20040199870-$ or US-20050097452-$ or US-20070022373-$ or US-20050149538-$ or US-20050108630-$ or US-	US-PGPUB; USPAT; DERWENT	NEAR	ON	2009/01/21 10:40

		20010054049-$ or US-20040218451-$ or US-20020106620-$ or US-20040010754-$ or US-20050108642-$ or US-20050210030-$ or US-20090017432-$).did. or (US-6167409-$ or US-6725424-$ or US-6535896-$ or US-6430624-$ or US-5708806-$ or US-5687364-$ or US-5608548-$ or US-5557722-$ or US-7272789-$ or US-6925595-$ or US-7032030-$ or US-7266767-$ or US-4994966-$ or US-5715468-$ or US-6912529-$ or US-7187465-$ or US-7085999-$ or US-7065483-$).did. or (WO-2005050395-$).did.				
S158	2	S157 and synchron$6 with output	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/21 10:41
S159	5	S157 and synchron$6 same output	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/01/21 10:41

1/22/2009 6:27:15 PM
H:\Workspaces\10-579644.wsp